

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/806,406	03/23/2004	Michael Anthony Dean	BBNT-P01-261	2304
28120 ROPES & GRA	7590 09/05/200 AY LLP	7 .	EXAMINER	
PATENT DOCKETING 39/41 ONE INTERNATIONAL PLACE			ALVESTEFFER, STEPHEN D	
BOSTON, MA			ART UNIT	PAPER NUMBER
ŕ			2173	
				
			MAIL DATE	DELIVERY MODE
			09/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)	
·		10/806,406	DEAN, MICHAEL ANTHONY	
	Office Action Summary	Examiner	Art Unit	
		Stephen Alvesteffer	2173	
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address	
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ARANDONE	N. nely filed the mailing date of this communication. D. (35 U.S.C. & 133)	
Status				
2a) <u></u>	Responsive to communication(s) filed on <u>21 Ju</u> This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro		
Dispositi	ion of Claims			
5)□ 6)⊠ 7)□ 8)□	Claim(s) 1-18 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-18 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or on Papers			
10) 🖾	The specification is objected to by the Examiner The drawing(s) filed on <u>21 June 2007</u> is/are: a) Applicant may not request that any objection to the or Replacement drawing sheet(s) including the correction The oath or declaration is objected to by the Example 1.	☑ accepted or b)☐ objected to drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).	
Priority u	ınder 35 U.S.C. § 119			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
2) Notic 3) Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te	

DETAILED ACTION

Response to Amendment

This Office Action is responsive to the amendment filed June 21, 2007. Claims 8, 12, and 13 are amended. Claims 1, 8, 10, and 11 are independent claims. Claims 1-18 remain pending. Amended drawings filed June 21, 2007 are acknowledged and accepted.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 3-11, 13, and 15-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Jordan et al. (hereinafter Jordan), United States Patent number 5,745,113.

Regarding claim 1, Jordan teaches a computer-implemented method of displaying on a display Semantic Web statements having start properties and stop properties related to lifetimes of said statements (see column 11 lines 31-45; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)"), comprising: displaying subjects and objects of said statements as nodes (see column 9 lines 15-20; "The term graph is used in a fully general sense to refer to any number of

nodes (e.g. boxes, ovals, icons) connected by any number of lines (or arcs). Nodes may represent people, artifacts, tasks, and so on; lines indicate the relationships between or among them. Nodes and lines are both objects"); displaying predicates of said statements as arcs connecting said nodes (see column 9 lines 15-20); and hiding said nodes and said arcs for particular ones of said statements when a selected display timeframe is outside said lifetimes of said particular ones of said statements (see column 10 lines 59-67; "The map and relationship editors also provide for the playback of data (observations) to show their temporal aspects. In a time sequential playback, objects or relationships are placed or changed according to their properties through a selected period of time"; see also column 11 lines 11-22; "All displays, including those just described, may be controlled through the use of filters selecting objects for display").

Regarding claim 3, Jordan teaches providing tools for a user to select said timeframe (see column 3 lines 21-34; "The system may include a time line editor for a user to draw, modify, and display a time line including display objects representing activities or events relating to workplace objects, including activities or events recorded in the database by other tools in the set of tools, and for a user to create display objects representing activities or events")

Regarding claim 4, Jordan teaches that said tools include providing said user with an option to select a start timeframe corresponding to an earliest one of said start properties of said statements (see column 11 lines 31-45; "Task objects begin with a set

Art Unit: 2173

of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)").

Regarding claim 5, Jordan teaches that said tools include providing said user with an option to select an end timeframe corresponding to a latest one of said stop properties of said statements (see column 11 lines 31-45; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)").

Regarding claim 6, Jordan teaches that said tools include providing said user with an option to select at least one timeframe increment for displaying said statements in temporal order corresponding to said start properties and said stop properties of said statements (see column 10 line 58 through column 11 line 4; "The style of playback may be continuous (if data was collected continuously), interpolated (to create a continuous appearance), or discrete", "continuous" and "discrete" are two timeframe increments of playback).

Regarding claim 7, Jordan teaches labeling each of said nodes with a value of a literal property of said node dependent on said start property and said stop property of said statement associated with said node (see column 7 lines 19-35; "Through dialog boxes, the user selects an existing or new object, edits how it is displayed on a map, edits the icon used for it on palette buttons, specifies the types of record in the database that objects of the type can point to, renames it, or removes it", objects may be renamed using the relationship editor; see also column 11 lines 31-45; "The predefined properties include start and stop dates (which may include times), resources required (such as

Art Unit: 2173

people or equipment), and task dependencies (on which tasks, if any, does this one may depend). Through the resources and other properties, task objects may be linked to the objects of other tools, including map objects and relationship objects", relationship objects may be linked to task objects that have a associated start and stop times).

Regarding claim 8. Jordan teaches a system for displaying graphical representations of time varying information for Semantic Web structured statements (see column 11 lines 31-45; "Task objects begin with a set of predefined properties. which may be extended by a user. The predefined properties include start and stop dates (which may include times)"), comprising: a processor connected to at least one Semantic Web resource and receiving input from a user, said input including a query to retrieve selected ones of said statements matching said query (see column 8 lines 15-36; "A user may create, modify, and query the database records. Some fields and records contain information generated by graphical interface operations, such as the placement or moving of an object, and are created implicitly and normally hidden from the user in the database interface display. Database records associated with an object are accessible through database commands in the system menu or through a hypertextlike link that appears when a displayed object is opened"); at least one application program interface (API) determining said selected ones of said statements from said at least one Semantic Web structured resource, said API obtaining start and stop properties for subjects, objects, and statements of said selected ones of said matching statements, said API determining graphical representation data from said selected ones of said statements and said properties, said start and stop properties defining lifetimes

of said statements (see column 11 lines 31-52; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)... In the task time line window 92, the system provides for a user to view the information presented in the task diagram in the form of a time line"); and a display connected to said processor, said processor receiving said graphical representation data from said at least one API and controlling said display to present graphical representations of said selected ones of said statements said input from said user including a timeframe, said processor controlling said display to hide said graphical representations of determined ones of said statements when said timeframe is outside said lifetimes of said determined ones of said statements (see column 10 lines 59-67; "The map and relationship editors also provide for the playback of data (observations) to show their temporal aspects. In a time sequential playback, objects or relationships are placed or changed according to their properties through a selected period of time"; see also column 11 lines 11-22; "All displays, including those just described, may be controlled through the use of filters selecting objects for display").

Regarding claim 9, Jordan teaches an application tool set operable by said user to input said timeframe, wherein said user can select timeframe increments corresponding to said start properties and said stop properties of said selected ones of said statements (see column 10 line 58 through column 11 line 4; "The style of playback may be continuous (if data was collected continuously), interpolated (to create a

Art Unit: 2173

continuous appearance), or discrete", "continuous" and "discrete" are two timeframe increments of playback).

Regarding claim 10, Jordan teaches a method of displaying graphical representations of time varying information for Semantic Web structured statements from at least one Semantic Web resource (see column 11 lines 31-45; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)"). comprising: receiving a query to retrieve selected ones of said statements matching said query (see column 8 lines 15-36; "A user may create, modify, and query the database records. Some fields and records contain information generated by graphical interface operations, such as the placement or moving of an object, and are created implicitly and normally hidden from the user in the database interface display. Database records associated with an object are accessible through database commands in the system menu or through a hypertext-like link that appears when a displayed object is opened"); determining said selected ones of said statements from said at least one Semantic Web structured resource (Jordan's invention teaches all the features of a Semantic Web structured resource. See Response to Arguments section below); obtaining start and stop properties for subjects and objects of said selected ones of said statements, said start and stop properties defining lifetimes of said statements (see column 11 lines 31-45; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)"); determining graphical representation data for said selected

ones of said statements and said properties (see column 11 lines 46-52; "In the task time line window 92, the system provides for a user to view the information presented in the task diagram in the form of a time line"); filtering said graphical representation data to control a display to present graphical representations of said selected ones of said statements (see column 8 lines 15-36; "When the map editor 20a displays a map, the database information can be referenced by filters to control whether and how objects are displayed"); and controlling the display to hide said graphical representations of determined ones of said statements when lifetimes of said determined ones of said statements exclude a selected timeframe (see column 10 lines 59-67; "The map and relationship editors also provide for the playback of data (observations) to show their temporal aspects. In a time sequential playback, objects or relationships are placed or changed according to their properties through a selected period of time"; see also column 11 lines 11-22; "All displays, including those just described, may be controlled through the use of filters selecting objects for display").

Regarding claim 11, Jordan teaches a computer-readable medium comprising instructions for controlling a processor to associate a lifetime with a Semantic Web structured statement by: implementing a start property for said statement denoting a start time when said statement becomes valid (see column 11 lines 31-45; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)"); and implementing a stop property for said statement denoting a stop time when said statement ceases to be valid, a time interval between said start time and said stop time

Art Unit: 2173

denoting said lifetime of said statement (see column 11 lines 31-45; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)").

Regarding claim 13, Jordan teaches instructions for controlling a processor to display a plurality of said statements on a display by: displaying subjects and objects of said statements as nodes (see column 9 lines 15-20; "The term graph is used in a fully general sense to refer to any number of nodes (e.g. boxes, ovals, icons) connected by any number of lines (or arcs). Nodes may represent people, artifacts, tasks, and so on; lines indicate the relationships between or among them. Nodes and lines are both objects"); displaying predicates of said statements as arcs connecting said nodes (see column 9 lines 15-20); and hiding said nodes and said arcs for particular ones of said statements when a selected display timeframe is outside said lifetimes of said particular ones of said statements (see column 10 lines 59-67; "The map and relationship editors also provide for the playback of data (observations) to show their temporal aspects. In a time sequential playback, objects or relationships are placed or changed according to their properties through a selected period of time"; see also column 11 lines 11-22; "All displays, including those just described, may be controlled through the use of filters selecting objects for display").

Regarding claim 15, Jordan teaches that the instructions further comprise instructions for controlling a processor to display a toolset operable by a user to select said timeframe (see column 10 lines 59-67; "The map and relationship editors also provide for the playback of data (observations) to show their temporal aspects. In a time

Art Unit: 2173

sequential playback, objects or relationships are placed or changed according to their properties through a selected period of time").

Regarding claim 16, Jordan teaches that the instructions further comprise instructions to control a processor to display a toolset operable by a user to select a start timeframe corresponding to an earliest one of said start properties of said statements (see column 11 lines 31-45; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)").

Regarding claim 17, Jordan teaches that the instructions further comprise instructions to control a processor to display a toolset operable by a user to select an end timeframe corresponding to a latest one of said stop properties of said statements (see column 11 lines 31-45; "Task objects begin with a set of predefined properties, which may be extended by a user. The predefined properties include start and stop dates (which may include times)").

Regarding claim 18, Jordan teaches that the instructions further comprise instructions to control a processor to display a toolset operable by a user to select at least one timeframe increment for displaying said statements in temporal order corresponding to said start properties and said stop properties of said statements (see column 10 line 58 through column 11 line 4; "The style of playback may be continuous (if data was collected continuously), interpolated (to create a continuous appearance), or discrete", "continuous" and "discrete" are two timeframe increments of playback).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jordan (5,745,113) *supra* and Kram et al. (hereinafter Kram), United States Patent number 4,754,326.

Regarding claim 2, Jordan teaches all the limitations of claim 2 except that hiding comprises painting said nodes and arcs for said particular ones of said statements to match a background of said display. Kram teaches a method of hiding text in a display by painting the text color to match the background (see Kram column 21 lines 38-49; "answers to a quiz could be " hidden" from the user by sending them to the terminal using the same color for the text as the background color"). It would have been obvious to one of ordinary skill in the art at the time the invention was made to hide display objects as taught by Jordan by painting them to match the background of the display as taught by Kram for the purpose of hiding objects from view when they are not needed.

Claim 14 recites a computer readable medium with substantially the same limitations as the method steps of claim 2. Therefore, claim 14 is rejected under the same rationale.

Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jordan (5,745,113) *supra* and Carroll, United States Patent Application Publication number 2004/0098670.

Regarding claim 12, Jordan teaches all the limitations of claim 12 except instructions for controlling a processor to implement said start property and said stop property as a datatype taken from a listing of XML Schema Datatypes including an xsd:dateTime datatype, an xsd:date datatype and an xsd:gYear datatype. Carroll teaches a method of canonicalizing an RDF graph according to the rules in XML Schema datatypes (see paragraph [0051]; "For each typed literal in the graph canonicalize it according to the rules in XML Schema datatypes"). It would have been an obvious design choice to one of ordinary skill in the art at the time the invention was made to use XML Schema datatypes as taught by Carroll with the invention of Jordan for the purpose of providing a standard schema structure for use in Semantic Web statements.

Response to Arguments

The amendments to the specification filed June 21, 2007 have been accepted.

Accordingly, all objections to the specification are withdrawn.

The amended drawings filed June 21, 2007 have been accepted. Accordingly, all objections to the drawings are withdrawn.

Applicant asserts that Jordan fails to teach every limitation of the recited claims 1 and 3-11. The examiner respectfully disagrees for the following reasons:

Jordan does not explicitly state that data is "hidden" when a selected display timeframe is outside the lifetime of the data. However, it is implied in the "Displaying Information" section of Jordan. From Jordan column 10 lines 59-67 – "The map and relationship editors also provide for the playback of data (observations) to show their temporal aspects. In a time sequential playback, objects or relationships are placed or changed according to their properties through a selected period of time"; and Jordan column 11 lines 11-22 – "All displays, including those just described, may be controlled through the use of filters selecting objects for display". By selecting objects for display, the filters inherently hide objects that should not be displayed, such as data that is outside of the selected time range.

In paragraph [0004] of the instant application, "Semantic Web" is defined as "an evolving collection of software tools and content, which provides information on the Internet, or World Wide Web, in such a way that it can be readily used by intelligent agents and other computer programs". Jordan teaches a system that is functionally equivalent to a "Semantic Web". Jordan teaches an evolving collection of software tools and content (see Jordan column 1 lines 44-64; "a system for recording and displaying information about work practice having a set of at least two different graphical tools"), which provides information on the Internet, or World Wide Web (see column 5 lines 38-52; "The tools 20a-d in the representational tool system operate on a computer 22 or network of computers", the "network of computers" being functionally equivalent to an

"Internet" or "World Wide Web"), in such a way that it can be readily used by intelligent agents and other computer programs (see Jordan column 3 lines 21-34; "The system may include a time line editor for a user to draw, modify, and display a time line including display objects representing activities or events relating to workplace objects, including activities or events recorded in the database by other tools in the set of tools", Jordan's system stores information in common database that can be readily used by many different software tools).

Applicant's arguments with respect to claims 12-18 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Alvesteffer whose telephone number is (571) 270-1295. The examiner can normally be reached on Monday-Friday 9:30AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cabeca can be reached on (571)272-4048. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/806,406 Page 15

Art Unit: 2173

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Stephen Alvesteffer Examiner Art Unit 2173

8-29-2007

JOHN CABECA

SUPERVISORY PATENT EXAMPA
TECHNOLOGY CENTER 2100